L Number			DB	Time stamp
-	15575	cp with cs	USPAT	2004/10/26 16:58
-	3	(cp with cs) same "control channel"	USPAT	2004/10/22 17:35
-	0	(cp with cs) and bcch	USPAT;	2004/10/22 17:36
			US-PGPUB;	
			EPO;	
			DERWENT;	İ
			IBM_TDB	
-	2586	(cp with cs) and sequenc\$3	USPAT	2004/10/22 17:37
-	589	((cp with cs) and sequenc\$3) and channel	USPAT	2004/10/22 17:37
-	556	(((cp with cs) and sequenc\$3) and channel)	USPAT	2004/10/22 17:38
		and control\$4		
-	17	370/280.ccls. and sync same code	USPAT	2004/10/22 17:56
-	4	370/280.ccls. and sync same code same	USPAT	2004/10/22 17:58
		sequenc\$3		
-	12	370/503.ccls. and sync same code same	USPAT	2004/10/22 18:02
		sequenc\$3		
-	0	"cp code" and "cs code"	USPAT	2004/10/22 18:02
-	4	(cp same cs) and cdma and scrambl\$3 and	USPAT	2004/10/22 18:38
		channel and delay\$3 and sync\$11		
-	2732	cdma and (time adj slot or timeslot or	USPAT	2004/10/24 11:34
		time-slot)		
_	445	(cdma and (time adj slot or timeslot or	USPAT	2004/10/24 11:35
		time-slot)) and (sequence with slot)		
-	234	((cdma and (time adj slot or timeslot or	USPAT	2004/10/24 11:35
		time-slot)) and (sequence with slot)) and		
		symbol		4.7
-	44	(cdma and (time adj slot or timeslot or	USPAT	2004/10/24 11:45
		time-slot)) and (sequence with slot with		
		symbol\$1)		
_	16	(cdma and (time adj slot or timeslot or	USPAT	2004/10/24 12:10
		time-slot)) and (sequence with slot with		
		symbol\$1 same sync\$12) and "base station"		
_	11	(cdma and (time adj slot or timeslot or	USPAT	2004/10/24 12:09
		time-slot)) and (sequence with slot with		1001, 10, 11 12.05
		symbol\$1 same sync\$12) and "base station"		
		and "control channel"		
_	8	(cdma and (time adj slot or timeslot or	USPAT	2004/10/24 11:53
	· ·	time-slot)) and (sequence with slot with	001111	2001, 20, 21 11.00
		symbol\$1 same sync\$12) and "base station"		Ì
		and "control channel" and chip		
_	8	((cdma and (time adj slot or timeslot or	USPAT;	2004/10/24 11:53
	O	time-slot)) and (sequence with slot with	US-PGPUB;	2004/10/24 11.55
		symbol\$1 same sync\$12) and "base station")	EPO;	
		not ((cdma and (time adj slot or timeslot	DERWENT;	
		or time-slot)) and (sequence with slot	IBM TDB	
		with symbol\$1 same sync\$12) and "base	17577_175	
8		station" and "control channel" and chip)		Na Carlotte
1_1	71	(cdma and (time adj slot or timeslot or	USPAT	2004/10/24 12:10
	, 1		OSEMI	2004/10/24 12:10
		time-slot)) and (sequence with slot same sync\$12) and "base station" and "control		
	CO	channel"	HODAE	2004/10/04 10 15
-	60	((cdma and (time adj slot or timeslot or	USPAT	2004/10/24 12:17
		time-slot)) and (sequence with slot same		
		sync\$12) and "base station" and "control		
		channel") not ((cdma and (time adj slot or		
		timeslot or time-slot)) and (sequence with		
		slot with symbol\$1 same sync\$12) and "base		
		station")		
_	9	(((cdma and (time adj slot or timeslot or	USPAT;	2004/10/24 12:16
		time-slot)) and (sequence with slot same	US-PGPUB;	1
		sync\$12) and "base station" and "control	EPO;	
		channel") not ((cdma and (time adj slot or	DERWENT;	
		timeslot or time-slot)) and (sequence with	IBM TDB	
1				
		slot with symbol\$1 same sync\$12) and "base	_	

	and (time adj slot or timeslot or	USPAT	2004/10/24 13:	16
time-s.	ot)) and (sequence with slot same			1
sync\$12) and "base station" and "control			Į.
channe	") not ((cdma and (time adj slot or			1
	t or time-slot)) and (sequence with			1
	th symbol\$1 same sync\$12) and "base			1
	")) not ((((cdma and (time adj slot			1
	eslot or time-slot)) and (sequence			i
	ot same sync\$12) and "base station"			- [
				ı
	ontrol channel") not ((cdma and			
	dj slot or timeslot or time-slot))			1
	quence with slot with symbol\$1 same		•	
) and "base station")) and			1
scramb	\$3)	İ		- 1
- 8 psc sar	me ssc and cdma and (timeslot or	USPAT	2004/10/24 13:	29
time ac	lj slot or slot) and "control			
	" and scrambl\$3 and sequenc\$3			i
	me ssc and cdma and (timeslot or	USPAT	2004/10/24 13:	29
	ij slot or slot) and "control	001111	2001, 10, 21 10.	- 1
	" and scrambl\$3 and sequenc\$3 and			1
bcch	and scrambity and sequences and			ļ
	d channel" with alrealitée with	HCDAM	2004/10/20 14	27
	ol channel" with pluralit\$3 with	USPAT	2004/10/26 14:	31
	with sequenc\$3			
	l channel" with pluralit\$3 with	USPAT	2004/10/26 14:	45
	with sequenc\$3			
- 7 "contro	ol channel" with pluralit\$3 with	USPAT;	2004/10/26 14:	44
sync\$12	with sequenc\$3	US-PGPUB;		
	•	EPO;		1
		DERWENT;		
		IBM TDB		
- 2 ("conti	ol channel" with pluralit\$3 with	USPAT;	2004/10/26 14:	15
	with sequenc\$3) not ("control	US-PGPUB;	2004/10/20 14.	43
				1
	" with pluralit\$3 with sync\$12 with	EPO;		1
sequenc	(\$3)	DERWENT;		İ
17 070 (00)		IBM_TDB		
	,281,294,328,338,350,431,436,503,514	#USPA478.ccl	s2004/10/26 15:	58
	a and "control channel" same			
	22fda294c3de)338,350,431,436,503,514	, 475\$A478.ccl	s2004/10/26 16:	13
and cdr	a and "control channel" same			1
(sync\$:	2 near3 code) and time adj1 slot			ļ
	,368,366,354,149.ccls. and cdma and	USPAT	2004/10/26 16:	22
	ol channel" same (sync\$12 near3			
	nd time adj1 slot			Ì
	onal gold codes"	USPAT;	2004/10/26 16:	21
110 0101100	onar gora codes	US-PGPUB;	2004/10/20 10.	24
			,	
		EPO;		1
		DERWENT;		
		IBM_TDB		
- 33 "orthog	onal gold codes" and @ad<=19980910	USPAT;	2004/10/26 16:	24
		US-PGPUB;		
		EPO;		
		DERWENT;		
		IBM TDB		
- 64 "orthog	onal gold codes"	USPAT	2004/10/26 16:	25
- 29 "orthoo	onal gold codes" and @ad<=19980910	USPAT	2004/10/26 16:	- 1
- 1 "unmodi	lated orthogonal gold codes"	USPAT	2004/10/26 16:	
- 2 "orthog	racea orchogonar gora codes	1	2004/10/26 16:	JT :
"c.sub	enal gold codes" and "C aut -"			
	onal gold codes" and "C.sub.p" and	USPAT	2004/10/20 10.	
- 1 orthod	s"			33
	s" onal gold codes" and "C.sub.p" and	USPAT	2004/10/26 16:	33
"c.sub.	s" onal gold codes" and "C.sub.p" and s" and 5930366.pn.	USPAT	2004/10/26 16:	33 58
- "c.sub.	s" onal gold codes" and "C.sub.p" and s" and 5930366.pnpn. and power	USPAT USPAT	2004/10/26 16: 2004/10/26 17:	33 58 03
- 1 6504830 - 3 (618524	s" onal gold codes" and "C.sub.p" and s" and 5930366.pnpn. and power 4.pn. or 5930366.pn. or	USPAT	2004/10/26 16:	33 58 03
- 1 6504830 - 3 (618524	s" onal gold codes" and "C.sub.p" and s" and 5930366.pnpn. and power	USPAT USPAT	2004/10/26 16: 2004/10/26 17:	33 58 03
- 1 6504830 - 3 (618524 6526091 - 1 6256304	s" onal gold codes" and "C.sub.p" and s" and 5930366.pnpn. and power 4.pn. or 5930366.pn. or .pn.) and power .pn. and power	USPAT USPAT	2004/10/26 16: 2004/10/26 17: 2004/10/28 11:	33 58 03 26
- 1 6504830 - 3 (618524 6526091 - 1 6256304	s" onal gold codes" and "C.sub.p" and s" and 5930366.pnpn. and power 4.pn. or 5930366.pn. or .pn.) and power .pn. and power	USPAT USPAT USPAT USPAT	2004/10/26 16: 2004/10/26 17: 2004/10/28 11: 2004/10/27 09:	33 58 03 26 39
- 1 6504830 - 3 (618524 6526091 - 1 6256304 - 21 cdma ar	s" onal gold codes" and "C.sub.p" and s" and 5930366.pnpn. and power 4.pn. or 5930366.pn. or .pn.) and power .pn. and power d (ofdm or orthogonal) and ((long	USPAT USPAT USPAT	2004/10/26 16: 2004/10/26 17: 2004/10/28 11:	33 58 03 26 39
- 1 6504830 - 3 (618524 6526091 - 1 6256304 - 21 cdma ar or shor	s" onal gold codes" and "C.sub.p" and s" and 5930366.pnpn. and power 4.pn. or 5930366.pn. or .pn.) and power .pn. and power d (ofdm or orthogonal) and ((long t) adj code) same (time adj1 slot)	USPAT USPAT USPAT USPAT USPAT	2004/10/26 16: 2004/10/26 17: 2004/10/28 11: 2004/10/27 09: 2004/10/27 09:	33 58 03 26 39 41
- 1 6504830 - 3 (618524 6526091 - 1 6256304 - 21 cdma ar or short	s" onal gold codes" and "C.sub.p" and s" and 5930366.pnpn. and power 4.pn. or 5930366.pn. or .pn.) and power .pn. and power d (ofdm or orthogonal) and ((long t) adj code) same (time adj1 slot) d (ofdm or orthogonal) and ((long	USPAT USPAT USPAT USPAT	2004/10/26 16: 2004/10/26 17: 2004/10/28 11: 2004/10/27 09:	33 58 03 26 39 41
- 1 6504830 - 3 (618524 6526091 - 1 6256304 - 21 cdma ar or short or s	s" onal gold codes" and "C.sub.p" and s" and 5930366.pnpn. and power 4.pn. or 5930366.pn. or .pn.) and power .pn. and power d (ofdm or orthogonal) and ((long t) adj code) same (time adj1 slot) d (ofdm or orthogonal) and ((long t) adj code) same (time adj1 slot)	USPAT USPAT USPAT USPAT USPAT	2004/10/26 16: 2004/10/26 17: 2004/10/28 11: 2004/10/27 09: 2004/10/27 09:	33 58 03 26 39 41
- 1 6504830 - 3 (618524 6526091 - 1 6256304 - 21 cdma ar or short or short same sy	s" onal gold codes" and "C.sub.p" and s" and 5930366.pnpn. and power 4.pn. or 5930366.pn. or .pn.) and power .pn. and power d (ofdm or orthogonal) and ((long t) adj code) same (time adj1 slot) d (ofdm or orthogonal) and ((long t) adj code) same (time adj1 slot) nc\$12	USPAT USPAT USPAT USPAT USPAT USPAT	2004/10/26 16: 2004/10/26 17: 2004/10/28 11: 2004/10/27 09: 2004/10/27 12:	33 58 03 26 39 41
- 1 6504830 - 3 (618524 6526091 - 1 6256304 - 21 cdma ar or short or short same sy	s" onal gold codes" and "C.sub.p" and s" and 5930366.pnpn. and power 4.pn. or 5930366.pn. or .pn.) and power .pn. and power d (ofdm or orthogonal) and ((long t) adj code) same (time adj1 slot) d (ofdm or orthogonal) and ((long t) adj code) same (time adj1 slot) nc\$12 .pn. or 5509016.pn.	USPAT USPAT USPAT USPAT USPAT	2004/10/26 16: 2004/10/26 17: 2004/10/28 11: 2004/10/27 09: 2004/10/27 09:	33 58 03 26 39 41 16 15

_) 0	5991330.pn. and spread and code and time	USPAT	2004/10/27 15:27
		adj1 slot and scrambl\$3		
_	1	5991330.pn. and spread and code and time	USPAT	2004/10/27 15:28
		adil slot	1	l i
_	122	syn\$12 near3 (code or sequenc\$3) same	USPAT	2004/10/28 09:14
		((time or timing) adj1 offset)		
_	65	syn\$12 near3 (code or sequenc\$3) with	USPAT	2004/10/28 09:14
		1		2001, 20, 20 03.11
		((time or timing) adil offset)	ŀ	